

TEST REPORT NO 726648/24/GDY

Client NÁDARRA GmbH Harvestehuder Weg 48 20149 Hamburg		Sample (according to declaration of Client) Sample description: Vitalität Nadarra, 60 capsules Batch: VN/04092024 Production date: 04.09.2024 Expiry date: 04.09.2026 Sample No. 565795/24/GDY	
Sample reception date:	13.09.2024	Sample status: no objections	
Start of analysis	23.09.2024		
End of analysis	11.10.2024		
Test report date	21.11.2024		
		Sample received from the Client	

Test Method	Unit	Result	Criteria	Statement of conformity
# Trans-resveratrol <sup>1)</sup> SOP 3.1.58	mg/capsule	35,94 ± 1,80	-	-

<sup>1)</sup> Capsule weight declared by the Client: 800 mg.

Test: Trans-resveratrol was performed in laboratory Certified Laboratories, Inc. Tustin United States of America

Authorized by:  
Subcontracted test results are authorised by persons authorised by the external provider.  
The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited  
# Test performed by external provider

THE END OF THE REPORT

Page 1 / 1

J.S. HAMILTON POLAND Sp. z o.o.  
TESTING LABORATORY  
Chwaszczyńska 180, 81-571 Gdynia, Poland tel. +48 58 766 99 00

TEST REPORT NO 722752/24/GDY

Client NÁDARRA GmbH Harvestehuder Weg 48 20149 Hamburg		Sample (according to declaration of Client) Sample description: Vitalität Nadarra, 60 capsules Batch: VN/04092024 Production date: 04.09.2024 Expiry date: 04.09.2026 Sample number: 565791/24/GDY	
Sample reception date:	13.09.2024	Sample status: no objections	
Start of analysis	18.09.2024		
End of analysis	08.10.2024		
Test report date	26.11.2024		
		Sample received from the Client	

Test Method	Unit	Result	Criteria	Statement of conformity
# Quercetin <sup>1)</sup> LA-LC-904_07_9/14/2023, internal method, extraction, clean up, LC-MS/MS				
Quercitin	mg/capsule	47 ± 14	-	-

<sup>1)</sup> Tablet weight declared by the Client: 800 mg.

Test: Quercetin was performed in laboratory PiCA Prüfinstitut Chemische Analytik GmbH Berlin Germany

Authorized by:  
Subcontracted test results are authorised by persons authorised by the external provider.  
The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited  
# Test performed by external provider

THE END OF THE REPORT

Page 1 / 1

J.S. HAMILTON POLAND Sp. z o.o.  
TESTING LABORATORY  
Chwaszczyńska 180, 81-571 Gdynia, Poland tel. +48 58 766 99 00

TEST REPORT NO 722754/24/GDY

Client NÁDARRA GmbH Harvestehuder Weg 48 20149 Hamburg		Sample (according to declaration of Client) Sample description: Vitalität Nadarra, 60 capsules Batch: VN/04092024 Production date: 04.09.2024 Expiry date: 04.09.2026 Sample number: 565793/24/GDY	
Sample reception date:	13.09.2024	Sample status: no objections	
Start of analysis	19.09.2024		
End of analysis	03.10.2024		
Test report date	26.11.2024		
		Sample received from the Client	

Test Method	Unit	Result	Criteria	Statement of conformity
* # Coenzyme Q10 <sup>1)</sup> SOP O-24	mg/capsule	46,11 ± 4,6	-	-

<sup>1)</sup> Capsule weight declared by the Client: 800 mg.

Test: Coenzyme Q10 was performed in laboratory with an accreditation number L 1162

Authorized by:  
Subcontracted test results are authorised by persons authorised by the external provider.  
The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited  
# Test performed by external provider

THE END OF THE REPORT

Page 1 / 1

J.S. HAMILTON POLAND Sp. z o.o.  
TESTING LABORATORY  
Chwaszczyńska 180, 81-571 Gdynia, Poland tel. +48 58 766 99 00

TEST REPORT NO 722755/24/GDY

Client NÁDARRA GmbH Harvestehuder Weg 48 20149 Hamburg		Sample (according to declaration of Client) Sample description: Vitalität Nadarra, 60 capsules Batch: VN/04092024 Production date: 04.09.2024 Expiry date: 04.09.2026 Sample number: 565794/24/GDY	
Sample reception date:	13.09.2024	Sample status: no objections	
Start of analysis	23.09.2024		
End of analysis	25.10.2024		
Test report date	26.11.2024		
		Sample received from the Client	

Test Method	Unit	Result	Criteria	Statement of conformity
# Nicotinamide adenine dinucleotide (NAD+) <sup>1)</sup> ALC010B				
Nicotinamide adenine dinucleotide (NAD <sup>+</sup> )	mg/capsule	11,75 ± 0,59	-	-

<sup>1)</sup> Capsule weight declared by the Client: 800 mg.

Test: Nicotinamide adenine dinucleotide (NAD<sup>+</sup>) was performed in laboratory Certified Laboratories, Inc. Tustin United States of America

Authorized by:  
Subcontracted test results are authorised by persons authorised by the external provider.  
The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited  
# Test performed by external provider

THE END OF THE REPORT

Page 1 / 1

J.S. HAMILTON POLAND Sp. z o.o.  
TESTING LABORATORY  
Chwaszczyńska 180, 81-571 Gdynia, Poland tel. +48 58 766 99 00