

TEST REPORT NO 230668/25/GDY

Client NADARRA GmbH Harvestehuder Weg 48 20149 Hamburg		Sample (according to declaration of Client) Sample description: 5-HTP Nadarra 60 capsules Batch: HTPNAD/27032025 Production date: 27.03.2025 Expiry date: 27.03.2027
Sample reception date:	04.04.2025	Sample status: no objections Sample received from the Client
Start of analysis	25.04.2025	
End of analysis	29.04.2025	
Test report date	29.04.2025	

Test Method	Unit	Result	Criteria	Statement of conformity
# Hydroxytryptophan (5-HTP) ¹⁾ SOP 3.1.76	mg/capsule	97,65 ± 4,88	-	-

1) Capsule weight declared by the Client: 780 mg.

Test: Hydroxytryptophan (5-HTP) was performed in laboratory Certified Laboratories, Inc. Tustin United States of America

Authorized by:
ID: 438, Senior Analysis Specialist, Cooperation with Laboratories Section

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor $k=2$ at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
Test performed by external provider

THE END OF THE REPORT