



GBA POLSKA Sp. z o.o.
Member of GBA GROUP
ul. Mochtyńska 65, 03-289 Warsaw, Poland

ANALYTICAL LABORATORIES

microbiology - physicochemistry - sensory



AR 1095

TEST REPORT No: B/0/04/2025/750/F/2/EN

Customer:

Nadarra GmbH 20149 Hamburg, Harvestehuder Weg 48

Order No:

B/0/04/2025/750

AE - accredited methodology (accreditation no. AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).

Material/product tested:		Dietary supplements					
Sample collection address:							
Product name:		Vitamin B12 Nadarra, 30 ml				Date*: 15 April 2025	
Producer:		Nadarra GmbH					
Date of production:		22/10/2024					
Lot number:		B12N/22102024					
Sampling according to:		-		Received by:		GBA POLSKA employee no.: 2729	
Samples transported by:		Shipping					
Sample no:		29048/04/25		Sample condition:		correct	
				Analysis start date:		15-04-2025	
				Analysis end date:		24-04-2025	
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	U
M	Vitamin B12 content (as methylcobalamin)	µg/100ml	AE	PB-304/LF ed. 2 of 26.03.2025	no requirements	217651,0	43 530.2

Date* - depending on the method of obtaining the sample by GBA POLSKA, it is the date of: collection (when the sample is collected only by a GBA POLSKA employee) or receipt (when the sample is collected from the Customer by a GBA POLSKA employee, is delivered by a courier company or delivered personally by the Customer).

U - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is provided when it is important for the reliability of test results or compliance with requirements/specifications and at the request of the Customer. The "test results" lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range " or "> value of the upper limit of the measuring range", respectively. These values provide information about the research results. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method.

The results refer only to the tested samples (sampled or received - in accordance with the information presented in the Test Report).

The information in italics included in the Test Report was provided by the Customer. The laboratory is not responsible for this information. The laboratory is not responsible for the method of sampling and the representativeness of the samples provided by the Customer for testing.

The Test Report without the written approval of the Laboratory shall not be reproduced except in full.

The Laboratory does not store the samples after testing, unless otherwise agreed with the Customer.

Place of performance of the tests ("Lab."): Ł - Łąski, ul. Kościelna 2a, 05-119 Legionowo, L - ul. Doświadczalna 50a, 20-280 Lublin, M - ul. Fabryczna 7, 41-404 Mysłowice, P – ul. Kazimierza Tymienieckiego 34, 60-681 Poznań, PS - in situ measurement.

NOTE: Original Test Report are issued in electronic form with the *.pdf extension, signed with a qualified electronic signature. Therefore, all prints, unless certified as true copies, are copies.

Remarks:

Information from the Client-declared content of Vitamin B12: 100µg/dose. Daily dose: 1 drop (0.05g) Vitamin B12-Me = (109 /-22) µg/dose (0.05ml).

Created on:

25-04-2025

Authorized result:


GBA POLSKA employee no.: 2522

Authorized Test report:

Documentation specialist for the food testing industry

GBA POLSKA employee no: 2879

Signed with a qualified electronic signature



Report prepared in a single copy

Original of PDF: Customer, copy of PDF to: Laboratory archive

The end of the Test Report