

TEST REPORT NO 56896/25/GDY

Client NÀDARRA GmbH Harvestehuder Weg 48 20149 Hamburg		Sample (according to declaration of Client) Sample description: Melatonin Nadarra, drops 15 ml Batch: MND/071124 Production date: 07.11.2024 Expiry date: 07.05.2026
Sample reception date:	03.02.2025	Sample status: no objections Sample received from the Client
Start of analysis	05.02.2025	
End of analysis	25.02.2025	
Test report date	25.02.2025	

Test Method	Unit	Result	Criteria	Statement of conformity
# Melatonin ¹⁾ LC-MS/MS	mg/dose	1,872 ± 0,936	1	-

1) Undefined threshold values.

Test: Melatonin was performed in laboratory PiCA Prüfinstitut Chemische Analytik GmbH Berlin Germany

Authorized by:
ID: 437, Analysis Expert, Cooperation with Laboratories Section

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
Test performed by external provider

THE END OF THE REPORT