

## TEST REPORT NO 649039/26/GDY

|                                                                        |            |                                                                                                                                                                                |  |
|------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Client<br><b>NADARRA GmbH</b><br>Harvestehuder Weg 48<br>20149 Hamburg |            | Sample (according to declaration of Client)<br>Sample description: Selen Nadarra, drops 50 ml<br>Batch: SEN/13072026<br>Production date: 13.07.2026<br>Expiry date: 13.01.2028 |  |
| Sample reception date                                                  | 16.07.2026 | Sample status: no objections<br>Sample number: 649039/26/GDY<br><br>Sample received from the Client                                                                            |  |
| Start of analysis                                                      | 20.07.2026 |                                                                                                                                                                                |  |
| End of analysis                                                        | 22.07.2026 |                                                                                                                                                                                |  |
| Test report date                                                       | 22.07.2026 |                                                                                                                                                                                |  |

| Test Method                                                         | Unit    | Result      |
|---------------------------------------------------------------------|---------|-------------|
| Selenium (Se) <sup>1) 2) 3)</sup><br>PB-223/ICP ed. 5 of 12.08.2025 | µg/dose | 91,4 ± 24,7 |

- 1) Dose declared by the Client: 0,15 ml.  
2) The sample density declared by the Client is equal to 1 g/ml.  
3) Result outside the scope of accreditation.

Test report authorized by:  
ID: 371, Senior Analysis Specialist, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:  
Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received and tested. The laboratory assumes no responsibility for the method of sample collection, the conditions of their transport, or for the information provided by the Client, including data that may affect the validity of the test results. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor  $k=2$  at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If no criterion for a given test or tests in the analyzed matrix has been specified in the reference document indicated by the Client, confirmation of compliance is not possible. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method. If an expanded measurement uncertainty is given for such a test outcome, it relates only to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited

# Test performed by external provider

THE END OF THE REPORT